



The Office of Public Works

Arterial Drainage Maintenance Service

Environmental Management Protocols

&

Standard Operating Procedures

The Office of Public Works
Environment Section
West Region Drainage Maintenance
Headford
Co. Galway
Telephone: +353 (0)93 35 456
Fax: +353 (0)93 35 631



The Office of Public Works Arterial Drainage Maintenance Environmental Management Protocols & Standard Operating Procedures

Contents:	Current Version
Environmental Management Protocols	April 2011
Environmental Drainage Maintenance Guidance Notes (10 Steps to Environmentally Friendly Maintenance)	April 2011
Lamprey Standard Operating Procedure	V2 April 2009
Crayfish Standard Operating Procedure	V2 April 2009
Otter Standard Operating Procedure	V2 April 2009
Mussels Standard Operating Procedure	V2 April 2009
Invasive Species Standard Operating Procedure	V2 March 2009
Zebra Mussel Standard Operating Procedure	V2 May 2009
Blank OPW/ EREP Audit Form	April 2011
NPWS Local Contact Details	May 2009
Fisheries Contact Details	April 2011
OPW Bridges on National Primary Roads	March 2009

This document is uncontrolled in hard copy format. Hard copies should be validated against the revision level of the online version prior to use. www.opw.ie

ENVIRONMENTAL MANAGEMENT PROTOCOLS

ARTERIAL DRAINAGE MAINTENANCE SERVICE (APPLICABLE TO ENGINEERS, TECHNICIANS AND FOREMEN)



PART I – OPERATIONS MANAGEMENT

COMMUNICATIONS - STATUTORY STAKEHOLDERS

- By the end of September of each year, each Drainage Region to forward a ***draft*** copy of its Annual Works Programme for the coming year to OPW's Environment Section, and to the Inland Fisheries Ireland (IFI) EREP Project Manager who will review it for appropriate sites and study locations for the Environmental River Enhancement Programme 2008 -2012.
- By end of November of each year, each Drainage Region to forward the relevant sections of the Finalised Annual Maintenance Programme for the coming year with a copy of appropriate scheme maps, to the National Parks & Wildlife Services (NPWS) Regional Managers and the IFI Directors.
- When compiling the programme the type of works proposed should be indicated for each channel under the headings A-F to facilitate the Screening for Appropriate Assessment (AA).
 - A – Silt & Vegetation Management
 - B – Aquatic Vegetation Cutting
 - C – Bank Protection
 - D – Bush Cutting/Branch Trimming
 - E – Tree Cutting
 - F – Bridge/ Structure Repairs
- Ideally, approximate timing (season/month) and approximate duration of works should be included for each channel.
- Works that fall within SACs, SPAs or NHAs are to be highlighted on the programme.
- As a follow up, the Drainage Regions offer the opportunity for a meeting with the stakeholders to discuss the programme and where a meeting is requested, preferable for this to take place as early as possible in the year.
- Prior to entry onto a channel contained wholly or partly within an SAC, SPA or NHA, three weeks notice in advance of entry, and for SAC & SPA an AA Screening Statement/Conclusion Statement must be completed and forwarded through the NPWS District Conservation Officer.

INTERIM STAKEHOLDERS MEETINGS

- In addition to the start of the year stakeholder meeting to overview the Annual Works Programme, Regional Offices will offer and facilitate a schedule of more frequent and catchment focused meetings.
- The need and the frequency of these meetings will be determined on a regional basis in partnership with the relevant stakeholders.
- Typically a frequency of every 2-3 months to discuss the following 2-3 months work on the catchment, identifying any further environmental sensitivities, appropriate mitigating measures, follow up joint site visits where deemed beneficial and flagging any opportunities for added benefit in proposed River Enhancement works.
- Typical attendance includes a range of OPW Management Staff, i.e. Engineer, Technician and/or Foreman, NPWS Rangers and/or DCO and IFI Officers.
- OPW Engineer will compile minutes of the meeting to record attendance and a brief account

of main decisions and follow up actions.

- Any channel specific information resulting from these meetings, such as timing requests should be entered into the Records Database in accordance with the National Recording Process.
- Fruitful consultations with statutory stakeholders such as NPWS and IFI are of critical importance to continuously improving environmental performance. However, in the interest of maximising the efficiency of stakeholders input, Management Staff are as far as practical, to plan their consultative requirements and address a range of aspects in any one discussion forum. Interim Stakeholder Meetings or similar forums offer good opportunities to maximise consultation efficiencies.

CORRESPONDENCE

- All Environment related correspondence/complaints should be logged on the Engineering Services Correspondence Database as per normal protocol. Complaints received should be forwarded to the Environment Section should assistance be required.

WALKOVER SURVEYS

- As a component to the EREP Project, on a number of channels, EREP team will request for Walkover Surveys as an opportunity to discuss in detail on site the environmental options for a particular channel with a range of relevant stakeholders.
- Typical attendance will be an IFI EREP representative, a range of OPW Management Staff and relevant Operational Crew if deemed beneficial, local IFI Officer and/or NPWS Ranger or DCO.
- OPW Management Staff to liaise with EREP team and coordinate the site visit with local IFI and NPWS to facilitate their participation if these stakeholders wish to attend.
- Environmental procedures as agreed on-site will be recorded by IFI EREP team and issued to the OPW Engineer as part of the design guidance for the particular Enhanced Maintenance works.
- Regional Management Staff to ensure that Operational Staff carry out the works in accordance with the agreed procedures.

NATURA 2000 SITE ASSESSMENTS

- All scheduled maintenance operations in the vicinity of a Natura 2000 Site i.e. an SAC or SPA, will require Screening for Appropriate Assessment and Stage II Appropriate Assessment where required.
- By the end of September of each year, each Drainage Region to forward a ***draft*** copy of its Annual Works Programme for the coming year to OPW's Environment Section to facilitate this process.
- Environment Section will procure the Ecological Consultant, collate all the channel lists and issue completed AA Screening Statements/Conclusion Statements to the respective OPW engineers as completed.
- The Ecological Consultant will consult with OPW management to define the precise extents of proposed works in each Natura 2000 Site.
- In addition, the Ecological Consultant will be carrying out walkover surveys for pre and post maintenance works for a representative number of the sites and OPW Management will be required to facilitate the same.
- OPW Management Staff will issue the relevant completed Assessments directly to the NPWS District Conservation Officer. In addition, Environment Section will issue all of the Assessments to the Development Applications Unit, DEHLG, Dun Sceine, Harcourt Lane,

Dublin 2.

- Preferably for the Assessments to be forwarded to the DCO as soon as it is completed, but in any case with a minimum of three weeks notice before commencement of the works.
- Management Staff to implement all prescribed mitigating measures and ensure that Operational Staff are made aware of all relevant site specific mitigating measures.

Current version of Designated Sites GIS Layers available on Socialtext

Environmental River Enhancement Programme (EREP)

- After reviewing the draft Annual Works Programme, IFI EREP team will revert to the respective Regional Engineers Office and request follow up meetings as required to discuss aspects of the programme in relation to the EREP.
- Enhancement sites require ground truthing to ensure they are technically feasible as envisaged. This is to be coordinated by the IFI EREP team with local IFI and OPW personnel as required.
- Sites shortlisted by IFI EREP team for Capital Enhancement works are emanating from a screening process of technical feasibility in terms of gradient and water quality. In the future, sites selected will increasingly be resulting from other requirements such as the Water Framework Directive Programme Of Measures under Morphology.
- IFI EREP team in consultation with the local IFI and OPW, will prioritise sites on a basis of best return for investment. IFI EREP team will liaise with the Regional Offices to assist in identifying channels deemed suitable for capital enhancement which should be integrated with the following years work programme. In some cases, a situation may arise where the site selected is not overlapping with the current Annual Works Programme but where feasible and subject to any third party agreement, OPW will accommodate these works.
- Similarly for enhanced maintenance works, IFI EREP team in consultation with the local IFI and OPW, will select sites again that are technically feasible and offer best return for investment. These sites will normally be from channels on the current Annual Works Programme.
- IFI EREP team will coordinate all the scientific monitoring works, provide the enhancement design details and guidance to OPW Management Staff and maintain a reasonable level of site supervision, proportional to the complexity of the works and the experience of the OPW Staff involved.
- Consultations with local IFI through the Interim Stakeholder meetings are encouraged to identify sites suitable for Enhancement works and in some cases the local IFI may also be in a position to produce an enhancement design. All enhancement designs and works are to be coordinated through the IFI EREP team to facilitate formal recording into the national EREP project and allow for biodiversity and/or hydromorphology monitoring if required. Local IFI may coordinate with IFI EREP team or alternatively OPW Regional Staff coordinate directly with the EREP team.
- A small portion of channels have more infrequent maintenance cycles and these cases can offer particularly good opportunities for enhanced maintenance type works. Channels programmed where maintenance works have not being carried out for in excess of 10 years, to be flagged to IFI EREP team for possible Walkover Surveys and guidance on appropriate EDM procedures.
- Management Staff to ensure that as far as practical, all Operational crews have an opportunity to get experience on these projects.

- Each Regional Engineer is to make provision in the Annual Works Programme for Plant & Labour resources in addition to provisions in the Annual Budget for materials subject to expenditure constraints. Typical resources are as follows:

Capital Enhancement

Region	Target (Km)	Capital Costs	Machine Weeks	ManWeeks
East Region	20	€200,000	30	60
South West Region	14	€140,000	21	42
West Region	16	€160,000	24	48
	50	€500,000	75	150

Enhanced Maintenance *(in conjunction with routine maintenance)*

Region	Target (Km)	Capital Costs	Machine Weeks	ManWeeks
East Region	20		15	0
South West Region	14		11	0
West Region	16		12	0
	50		38	0

- Progress targets for EREP to be shown on monthly production reports.
- OPW are the primary contact point for liaison with landowners including the organising of access and egress for machinery and materials. Brochures on EREP are available in all Regional Offices. Additional copies can be obtained through OPW Environment Section.
- Management Staff are encouraged to maximise the use of all available on-site materials such as stone from historical spoil heaps as opposed to importing materials at a higher cost.
- In addition, Management Staff are encouraged to maximise synergies with other funding sources such as Fisheries Development grants attained by local Angling Clubs which could combine with OPW plant and labour to supply materials.
- In all cases, Inland Fisheries Ireland are the statutory authority to give design guidance to OPW. Angling Clubs or other sectoral funding sources to liaise with the Fisheries authorities in respect of all design and environmental monitoring requirements.
- As-Built plans are to be completed by the IFI EREP team for all enhancement works. This will entail a site visit by IFI and relevant OPW Staff where requested. These will be retained by IFI as well as any relevant design information.
- IFI EREP team will forward a copy of the As-Built plans to Environment Section who will upload the same to Socialtext for access to the information by all Staff.
- At the end of the year, IFI EREP team will forward Environment Section a GIS layer of that year's works for uploading to OPWs GIS records.

Current version of Enhancement GIS Layer available on Socialtext

NATIONAL RECORDING PROCESS

- Weekly Record Cards can contain information on Lamprey, Crayfish, Kingfisher, Mussels, Otter and other site specific environmental information as arises.
- Environmental information on Cards will be recorded onto the Records Database by each Drainage office. The latest Records Database has been revised to integrate environmental records.
- On an interim basis, a copy of all Cards with environmental information to be copied and

forwarded to Environment Section by each Drainage Office. This is to allow Environment Section to review the detail of information being recorded, feedback to the Operational crews through the Management Staff and attain a national consistency in the style of information being recorded.

- All relevant information to be uploaded to GIS by Environment Section.
- All other relevant environmental information sourced by Management Staff whether from direct observations or through stakeholder consultations, should be entered into the Records Database.
- Relevant environmental information sourced through the EREP project and related research will be forwarded by IFI EREP team to Environment Section directly for centralised GIS uploading.
- On an annual basis, Environment Section will compile an update of Weekly Records Cards species records and make available to all Staff via Socialtext to assist in tracking progress.
- On an ongoing basis, Environment Section will make available the various OPW compiled species records to other authorities to assist in contributing to any appropriate national conservation knowledge.
- As described above, each drainage office will upload onto the Records Database all environmental information from the Weekly Record Cards and all other broader environmental information attained by Management Staff. Within a few years, it's envisaged that multiple regional Staff will be able to use the new Records Database, and then environmental information from all sources will be uploaded directly by a whole host of Staff. Typically this will include any mitigating agreements for particular channels agreed with stakeholders or any other individuals observation such as protected species presence noted during a separate site visit.

SALMONIDS

- As far as practicable, the maintenance works are to be scheduled to accommodate salmonid (Salmon & Trout) spawning areas, as is in place across all regions for many years. This is a widespread measure on many catchments and is most applicable to medium gradient channels with gravel substrate.
- Prior to works commencing, consult with local IFI. Ideally, consultations to be conducted through Interim Stakeholder Meetings or alternatively, direct contact in respect of the specific site.
- Maintenance operations on salmonid spawning beds typically carried out between July and September but timing subject to adjustment due to local knowledge of IFI.
- Raking of spawning gravels to improve spawning capacity also typically carried out between July and September.
- River enhancement works to enhance both the fisheries and the broader ecology of the drainage channel are covered under the EREP project.
- In the future, as the extent of completed enhancement works increases, there is a risk of damage to structures due to future maintenance. All channels scheduled for maintenance to be checked against GIS records for presence of previous enhancement works. Where a presence is indicated, carry out a site visit as appropriate and in consultation with IFI, devise on-site procedures to protect or enhance existing instream structures.

Current version of Enhancements & Spawning GIS Layers available on Socialtext.

LAMPREY (BROOK, RIVER & SEA) & CRAYFISH

- All channels scheduled for maintenance to be checked against GIS records for presence of Lamprey or Crayfish.

- In accordance with the SOPs, Operational Staff will closely observe the spoil three times daily and report to the Foreman any Lamprey or Crayfish located.
- Mitigating procedures to apply when:
 - GIS records indicate species presence, or
 - Operational Staff locate Lamprey or Crayfish during operations, or
 - Where particularly suitable habitat is identified by an environmental stakeholder.
- If significant populations are encountered, notify IFI EREP team and facilitate scientific studies if site deemed suitable by IFI.
- If significant populations are encountered, notify NPWS Ranger and local IFI Officer and conduct site visit as necessary.
- Combination of Mitigating Measures to be selected as applicable to the site while balancing the Flood Risk Management requirements and a sustainable approach to the conservation of Lamprey and/or Crayfish.
- Identify extent of channel applicable and the mitigating measures to apply.
- Inform Operational Staff of mitigating requirements.

Suite of relevant Mitigating Measures as follows:

On site measures

- Skip sections to retain intact habitat either in one long reach or multiple short reaches.
- Maintenance in an upstream direction to avoid secondary disturbance of a species moving downstream. Balance with the advantage of maintenance in a downstream direction where instream vegetation minimises siltation.
- Confine maintenance to 2/3 of channel width leaving marginal vegetation and silt intact.
- Maximise use of weed cutting bucket particularly where aquatic vegetation removal is the primary objective. This is effective for Lamprey juveniles as they are in the silt. For Crayfish, cutting of “Flaggers” type vegetation is effective but cutting of “water celery” mat type vegetation is less effective as it can result in Crayfish being removed within the weed mass.

Forward planning measures

- Annual maintenance of the channel in shorter segments sequentially completing the same over a number of years. Balance with maintaining reasonably operational efficiency in terms of machinery moving, transport, access and egress.
- Longer time periods between maintenance cycles e.g. move from 4-6 years to 7 to 8 years. Balance with overall river ecology as longer maintenance cycles will lead to more heavy-scale works.
- Timing of maintenance to accommodate Lamprey spawning. Stakeholder consultations between OPW and local IFI for salmonid mitigating purposes, to include consideration of Lamprey spawning. This is to be applied to channels where Lamprey spawning habitat is known as informed by IFI or other stakeholder. For River & Brook Lamprey, no works on relevant spawning channel from end March to start of June subject to adjustment due to local knowledge of IFI. For Sea Lamprey, as they spawn during the summer months, restrictions from late April to early July are required. To be applied to channels where Sea Lamprey spawning is known as informed by IFI or other stakeholder and timing subject to adjustment due to local knowledge of IFI. Note that Sea Lamprey are much less widespread so envisaged that the scale of this mitigation will be very limited.
- Loosening spawning bed gravels. Stakeholder consultations between OPW and IFI for salmonid gravel loosening purposes, now to include consideration of Lamprey spawning as above.
- Enhance channel profile such as skewed cross section and promote deposition of silt along margins. Integrate with IFI discussions on planning the EREP to avail of enhancement

- opportunities particularly for channels where Lamprey or Crayfish presence is recorded.
- Modification of OPW structures which impede upstream migration. Identification of weirs as barriers to be as informed by IFI or other stakeholder. Where modification designs required, liaison with IFI EREP team to integrate the improvement works into the EREP project. Identification of a bridge apron step attained through ongoing site inspections by OPW Management Staff or other stakeholder. In consultation with IFI, steps at bridges to be modified by a rock armour type ramp or similar. Envisaged that these measures will be of a limited scale on drained channels.

GIS Records:

- Where Lamprey or Crayfish are discovered, Operational Staff will have recorded the same on the Weekly Record Cards. Cards with species location information will be uploaded to the Records Database as stated in the National Recording Process.
- All new Lamprey spawning location information attained through stakeholder consultation to be recorded on the Records Database in accordance with the National Recording Process.
- All database records of species location will be uploaded to GIS by Environment Section.
- IFI EREP team conducting ongoing research on Lamprey & Crayfish as a component of the EREP works. Scientific data calculating species density for some sites will be developed and to be supplied by IFI to OPW and uploaded to GIS by Environment Section.

Current version of relevant SOPs: V2 April 2009

Current version of relevant GIS Layers available on Socialtext.

OTTER

- Research to date indicates that Otters are widespread across all sizes of drainage channels nationally, hence it is prudent to assume that Otter use any particular site.
- In accordance with the Otter SOP, Operational Staff will walkover the works area one week in advance in conjunction with the Health & Safety assessment noting dense cover with access directly to the water that is to be avoided where feasible.
- In addition, any recognisable signs of Otter presence observed such as Spraints, Footprints or suspected Holts, will be recorded on the Weekly Record Cards. These signs were identified in Otter Awareness Training carried out across all regions in 2008.
- While holts are usually well concealed, where Operational Staff observe a suspected holt such as a burrow opening, in consultation with Management Staff, subject to flood risk management functions, no works to within a 50m buffer each side.

Bridge mammal crossing enhancement

- As a component of ongoing consultations with NPWS and other stakeholders, evidence may arise from time to time as to a particular spot for Otter road kill. Typically this can arise where the Otter always traverses the roadway as opposed to going through the bridge. While this scenario is not known to be a widespread issue in Ireland, the highest risk locations are on the National Primary Roads which have the heaviest traffic volumes.
- There are 170 National Primary Road bridges on OPW channels as listed in the table referenced below and Management Staff are to have particular regard to these locations if evidence arises on a possible road kill “hot spot”.
- Enhancement works will typically take the form of a bolt-on wildlife ledge or similar. Design and configuration is to be carried out in consultation with NPWS and relevant Local Authority.
- On an annual basis, Environment Section will review the national website www.biology.ie which records Otter road kill reports from the public. Any road kill location which overlaps with an OPW channel will be flagged by Environment Section to the relevant Management

Staff.

- Current understanding is that Otter road kill is not a significant issue in Ireland. It's envisaged that while the justification for bridge mammal crossing works may arise for some scenarios, these measures will be of a limited scale on drained channels.

Current version of Otter SOP:

V2 April 2009

Current version of National Primary Roads & OPW Bridges: March 2009

FRESHWATER PEARL MUSSEL

- GIS records from NPWS show the locations of the 91 known FWPM populations in Ireland.
- The following OPW channels have been identified as containing FWPM:

Channel	Scheme	Location	Most Recent Record
CH9	Corrib Headford	Oughterard	2009
C1/21/3	Moy	Approx 500yds from outfall to into L. Cullin	2004
C1 Sect M&N	Moy	Ballygallagart	2004
C1/21/14	Moy	Crossmolina	2008
C1	Dunmanway FRS	d/s of the Long Bridge	2003
C1	Owvane	Approx 1400 yds from outfall	2002
C1	Feale	d/s Listowel near Scartleigh cemetary	2006
**Owenaher	Moy	u/s of C1/54	1996
**Brown Flesk River	Maine	Trib of C1 Maine near Farranfore	1987
** Galey River	Feale	Approx 1400yds u/s of C1/18 near Ahavoher Br.	1950
**River Liffey	Ryewater	(Lucan) Approx 3.5km d/s C1 Ryewater outfall	1894

** Although not on OPW channels - these channels may or may not contain populations of FWPM. Works in the vicinity which could impact on a possible population need to be considered in close consultation with local NPWS knowledge.

- While highly unlikely to have instream works in a FWPM habitat, if a new population located by Operational Staff during operations, works to cease.
- Notify NPWS and in consultation with NPWS, area to be skipped or non in-stream works carried out as agreed for the specific site.
- For operations in the vicinity of known populations, mitigating procedures to apply:
- Consult with NPWS and local IFI and conduct site visit as necessary.
 - Typically only selective non in-stream works adjoining the population.
 - Works such as removal of a fallen tree is to be completed by lifting clear of the channel to minimise any channel bed disturbance due to the branches being dragged.
 - Assess need for silt management procedures for works upstream of the population and implement in consultation with NPWS.

Current version of relevant SOPs:

V2 April 2009

Current version of FWPM GIS Layer available on Socialtext.

SWAN & DUCK MUSSELS

- Swan and Duck Mussels are not strictly a protected species, however they are of conservation interest.
- Both species are similar in appearance and habitat requirements and distinguishing between them is not necessary unless local environmental stakeholders can identify the exact species.

- As the Mussel SOP, if Operational Staff locate the same, Management Staff will be notified.
- Where significant populations are encountered notify NPWS Ranger and local IFI Officer, and where they are interested in visiting the site, facilitate a site visit as necessary.
- Identify extent of channel applicable and the mitigating measures to apply.
- Typical Mitigating Measures include:
 - Operational Staff to observe spoil and return any Mussels to the channel whom are expected to recolonise the channel bed.
 - Maximise use of weed cutting bucket particularly where aquatic vegetation removal is the primary objective.
 - Skip sections to retain intact habitat either in one long reach or multiple short reaches.
 - Confine maintenance to 2/3 of channel width leaving marginal vegetation and silt intact.
- Record species presence on the Weekly Record Cards which will be recorded on the Records Database.

Current version of relevant SOPs: V2 April 2009

KINGFISHER

- Avoid disturbing nesting sites in banks.
- Visual sightings of Kingfisher by Operational Staff to be recorded on the Weekly Record Cards.
- Sightings by Management Staff to be recorded on the Weekly Record Cards where works in progress or on other occasions, record by separate map or channel reference format.
- All sightings to be recorded on the Records Database in accordance with the National Recording Process.
- All database records of species location will be uploaded to GIS by Environment Section.
- On an annual basis, Environment Section will issue the records to Birdwatch Ireland whom will add to the national Kingfisher database.

Current version of Kingfisher GIS Layer available on Socialtext.

BIRDS

- Removal of any abnormally dense layer of vegetation is to be executed between September and February (inclusive) to minimise impacts on nesting birds unless there are other overriding requirements such as Health & Safety.
- For SPAs containing important over-wintering bird populations, in consultation with the NPWS, regard to be given to timing or phasing of the works to minimise potential disturbance.

BATS

- While the removal of large mature trees is not typically a requirement of maintenance works, where the case arises, in consultation with NPWS, regard to be given to the likelihood of bat roosting habitat.
- Typical mitigating measure would be to leave tree in fallen position for 24hrs to allow any bats vacate.
- Masonry bridges offer niches and crevices suitable for bat roosts and where masonry bridges are scheduled for maintenance works, regard to be given to the likelihood of bat roosting habitat. Typical maintenance works at low level such as wing wall repair or underpinning foundations have limited potential to impact on bat roosts. Where the case arises that repair works are to be above the high water level such as the upper arch, in consultation with

- NPWS, assess the potential for the works impacting on bat roosts.
- Typical mitigating measure would be to contract a bat specialist to survey for bat presence before works commence, to avoid entombment of any bats.

WETLANDS - BOGS, FENS & TURLOUGHs

- All channels scheduled for maintenance which overlap SAC designations to be checked against the list of channels that impinge on Raised Bog, Fen habitat or Turloughs and have regard to any NPWS agreements noted *.
- OPW Management Staff to consult with NPWS for expert opinion as to any evidence of ongoing ecological decline of the Bog, Fen or Turlough and judgement on, if the drainage datum set by the Drainage Scheme and its maintenance is an ongoing contributing factor by affecting the hydrological regime of the same.
- Where a likely impact is identified, conduct site visit as necessary and in consultation with NPWS, mitigating measures to be selected such as:
- Skipping the channel in question while taking cognisance of the flood risk management requirements.
- Maximise use of weed cutting bucket particularly where aquatic vegetation removal is the primary objective.
- Inspection by OPW line management to assess the possibility of over digging the channel below the original design datum. Presence of an existing water level control such as a bridge floor to be established and alternative reference datum to be installed if deemed warranted.

** Environment Section currently developing a list of channels which overlap with Raised Bog, Fen habitat and Turloughs within SACs. Channels that are subject to a previous NPWS agreement /understanding of the extent of maintenance will be recorded.*

Current version of Wetlands channels list available on Socialtext.

INVASIVE SPECIES – PLANTS

- Multiple invasive plant species are widespread nationally as described in the SOP and prudent to assume that one or more of these plants can be present on any works site.
- At present the OPW does not have any direct responsibility for the management of Invasive species. However to ensure OPW operations are not a vector for these invasives, measures are required to reduce the risk of spread.
- Ensure machine washing equipment transported to site for all appropriate machinery movements as described in the Invasive Species SOP.
- Ongoing EDM site audits by Environment Section will include confirmation that machine washing was executed in accordance with the SOP for the last applicable machine transfer.
- In some cases, OPW will assist other authorities in the control of invasive species. In these projects, the works are typically carried out in partnership between a number of authorities such as IFI, NPWS and relevant Local Authority. As scenarios arise where OPW are requested to assist in an invasive species control project, Management Staff are encouraged to support the multi-authority partnership model which will maximise resource efficiencies for all parties while still achieving a broader environmental good.

Current version of relevant SOP:

V2 March 2009

INVASIVE SPECIES – ZEBRA MUSSEL

- Zebra Mussels are present in the River Shannon, Grand Canal and are in many lakes such as

L Derg, L Ree, L Garra, L Key, L Derragh, Derravaragh, L Sheelin and L Corrib. This species is spreading and it is prudent to assume that works in any large sluggish river or near a lake has potential to contain Zebra Mussel.

- For any proposed works in the vicinity of potential Zebra Mussel waters, flag for Operational Staff and ensure particular attention to cleaning procedures for all equipment prior to removal from site.
- Any new location of Zebra Mussel uncovered during operations, notify NPWS and IFI for their information.
- Record on Weekly Record Sheet which will be uploaded on the Records Database in accordance with the National Recording Process.
- On an annual basis, Environment Section will collate the records nationally and issue to any relevant authorities to assist in tracking the species spread.

Current version of relevant SOP:

V2 May 2009

TREE MANAGEMENT

- A small portion of channels have more infrequent maintenance cycles typically where self cleaning gradients are present. These sites can entail abnormally dense tree cover which may be required to be managed for conveyance or fisheries purposes. Removal of any abnormally dense layer of vegetation is to be executed between September and February (inclusive) to minimise impacts on nesting birds unless there are other overriding requirements.
- IFI requests to reduce “tunnelling” on drainage channels to be accommodated where feasible. OPW Management Staff to facilitate a site visit with the IFI Officer as required and devise a selective approach to the tree removal so as to retain a dappling of shade along the channel length.
- Excess woody vegetation to be collected and utilised by the following in order of preference:
 - Reused by adjoining landowner for domestic firewood.
 - Subject to landowners agreement, stockpile excess to form natural cover and niche habitat, preferably with some connection of cover to the channel e.g. along a hedge leading to the water.
 - Shred and spread along the adjoining top of bank allowing the material to degrade rapidly and recolonisation of the underlying vegetation.

ENVIRONMENTAL DRAINAGE MAINTENANCE (EDM) GUIDELINES

- A portion of operational crews will be audited annually for implementation of the EDM Guidelines and other standard environmental procedures as adopted.
- Auditing will be carried out separately by both IFI and OPW Environment Section on a rotational basis to ensure all operational crews are audited at least once every three years.
- Audit results will be recorded on a standard format with the following feedback:
 - All audit results will be forwarded to the relevant Engineer for that Drainage Scheme within two working weeks.
 - In the event of an audit showing elements of unreasonable non-compliance with procedures, the relevant Engineer will be notified within one working day.
 - Audit results will be forwarded to OPW Systems Co-ordinator for inclusion in monthly regional benchmarking reports.
 - IFI EREP team will compile an overall summary of their findings in their end of year report under the EREP project.
- Design for Enhanced Maintenance works under EREP will include a design element for full

scale implementation of the EDM Guidelines such as Boulder Replacement and Excavating Pools.

- Management Staff to ensure that as far as practical, all Operational crews have an opportunity to get experience on these projects.

Current version of EDM Guidelines: April 2011

Current version EDM Audit Sheet: April 2011

PART II – DEPOT MANAGEMENT

DEPOT WASTE MANAGEMENT

- 12 Waste Management Plans are available on Socialtext covering the 12 Drainage Offices.
- Environment Section will review 2 plans per annum and audit implementation.
- Updated Plans together with an overview of findings will be forwarded to the relevant Coordinator and uploaded to Socialtext.



FUTURE REVISIONS

- Envisaged that this set of Protocols will be a fluid document and will be periodically updated as procedures are revised or new procedures introduced. In addition, to be used as a framework document for quality control purposes to reference the latest versions of all supporting information.

Environmental Drainage Maintenance Guidance Notes



10 Steps to Environmentally Friendly Maintenance



1. Protect bank slopes
2. Restrict maintenance to channel
3. Spoil management
4. Selective vegetation removal
5. Leave section untouched
6. Management of trees
7. Manage berm to form two stage channel
8. Replace stones and boulders
9. Loosen gravel beds
10. Re-profile channel bed

Environmental Strategies for Channel Maintenance



1. Protect bank slopes

- 1.1 Do not disturb the non-working bank slope
- 1.2 Minimise any effect on working bank
- 1.3 Leave margin of vegetation at foot of each bank slope



2. Restrict maintenance to channel

- 2.1 Remove only necessary silt – **no new diggings**
- 2.2 Remove instream material only
- 2.3 Retain marginal vegetation
- 2.4 Check spoil regularly. *See Lamprey & Crayfish SOPs*

3. Spoil Management

- 3.1 Maximise spoil placement on bank full line or spoil heaps **and**
- 3.2 Minimise spoil placement on bank slopes
- 3.3 Spread spoil as thinly as possible
- 3.4 Allow water to drain out of bucket over the water – lets small fish, lamprey and crayfish escape



Environmental Strategies for Channel Maintenance



4. Selective Vegetation Removal

- 4.1 Retain a band of vegetation on both sides at water's edge
- 4.2 Selectively manage instream vegetation
- 4.3 Maximise use of weed-cutting bucket
- 4.4 Avoid maintenance in coarse fish channels from 1st April to 1st July



- 4.5 Retain 1/3 to 1/2 of instream floating type vegetation, such as *Ranunculus* (water crowfoot) – see photo to right



5. Leave sections untouched

- 5.1 If channel capacity is not affected, leave section alone



Environmental Strategies for Channel Maintenance



6. Management of Trees

- 6.1 Remove trees that are blocking the flow
- 6.2 Tree-cutting window 1st September to 28th February



- 6.3 Remove overhanging branches to known flood level

- 6.4 Use saw secateurs for removal, not excavator bucket

- 6.5 Manage Trees to reduce very heavy shading
- 6.6 Manage briars and scrub.
See Otter SOP



7. Manage berms to form two-stage channels

- 7.1 Retain berm where channel capacity is not affected
- 7.2 Remove top of berms to low flow levels
- 7.2 Remove vegetation and soil from gravel berms
- 7.3 Replace sod to the berm where feasible
- 7.4 Only narrow berms if 'excessively' wide for the channel (i.e. greater than a third of the channel width)



8. Replace stone and boulders

- 8.1 Reinststate boulders and gravels as removed by maintenance operations
- 8.2 Reinststate suitably sized boulders into channel from spoil heaps where feasible
- 8.3 Boulders should be placed at or below low flow level and spaced out

9. Work in gravel bed channels

- 9.1 Loosen or toss bed gravels to wash out fines
- 9.2 Only considered between 1st July and 30th September
- 9.3 No work in gravel bed / spawning channels in fisheries 'closed season'
Note: This varies locally check with local IFI



Environmental Strategies for Channel Maintenance



10.1 Excavate bed to form deeper pool areas and shallow riffles



10.2 Overdeepen the channel along one side and place spoil on opposite side –particularly on curves and bends

10.3 Use existing boulders to form simple low-level structures



10.4 Record where such works are carried out

BROOK, RIVER & SEA LAMPREY STANDARD OPERATING PROCEDURE - ARTERIAL DRAINAGE MAINTENANCE

Actions during Maintenance Operations

- Machine gangs to closely observe the spoil three times daily for Lamprey (and Crayfish).
- Where Lamprey encountered:
 - Contact area Foreman immediately.
 - Foreman to contact Engineering Staff in line with the Environmental Management Protocols.
 - Record the location and abundance of Lamprey on the time card.

Measures as directed by Foreman to minimise impact may include:

- Skip a defined stretch of channel.
- Confine maintenance to 2/3 of channel width leaving marginal vegetation and silt intact.
- Maximise use of weed cutting bucket particularly where aquatic vegetation removal is the primary objective.



Lamprey in the spoil

RIVER, BROOK & SEA LAMPREY IDENTIFICATION CARD




Gill Pores



Lamprey and young eels can look very similar. These key identifying features can be used to distinguish the two species

Lamprey:

- Gill Pores (Holes)
- No Fins
- No Jaw
- Average length 8 to 15cm (3 to 6 inches)



No Gill pores

Eels: No Gill Pores

Paired Fins

Jawed Mouth

Average length 65cm (26 inches)

Juvenile Lamprey:

- Juvenile Lampreys live in the sediment.
- It is in this juvenile phase that they can be removed from the sediment during maintenance.



Adult Lamprey:

- Largest is the Sea Lamprey species.
- Also are River and Brook Lamprey
- Length from 30 to 60cm (12 to 24 inches).



WHITE-CLAWED CRAYFISH

STANDARD OPERATING PROCEDURE - ARTERIAL DRAINAGE MAINTENANCE

Actions during Maintenance Operations

- Machine gangs to closely observe the spoil three times daily for Crayfish (and Lamprey).
- Where Crayfish encountered:
 - Contact area Foreman immediately.
 - Foreman to contact Engineering Staff in line with the Environmental Management Protocols.
 - Record the location and abundance of Crayfish on the time card.

Measures as directed by Foreman to minimise impact may include:

- Skip a defined stretch of channel.
- Confine maintenance to 2/3 of channel width leaving marginal vegetation and silt intact.
- Maximise use of weed cutting bucket particularly where aquatic vegetation removal is the primary objective.



Crayfish in the spoil

WHITE-CLAWED CRAYFISH

Identification

- Resemble small lobsters.
- Colour varies from light to dark green-brown, with large front claws.
- Adults typically 7cm - 10cm (3" - 4") long.
- Juveniles can be as small as 2cm (1") long.
- Prefer channels with
 - dense weed cover (flaggers / watercelsery) or
 - with a mixture of rocks / gravels that provide crevices for cover.



OTTER

STANDARD OPERATING PROCEDURE - ARTERIAL DRAINAGE MAINTENANCE

Week before Maintenance Operations begin:

- Operational staff will walkover works area one week in advance in conjunction with the PRA noting areas of dense cover with access directly to the water. (As identified during Otter Awareness Training)
- These areas of suitable cover should be avoided where feasible during maintenance.
- Suspected presence of an Otter holt to be reported immediately to area Foreman, who will contact Engineering Staff in line with the Environmental Management Protocols.
- Signs of Otter presence observed such as Spraints, Footprints or suspected Holts, to be recorded on the Weekly Record Cards.

Measures to minimise disturbance may include:

- Retain suitable cover where possible.
- Areas of dense scrub to be avoided by large plant.
- Skip stretch of channel in proximity of suspected holt.



Otters

- Widespread presence on OPW channels.
- Shy animals and not normally seen.
- Adults 1 metre long and weigh 10kg.
- Streamlined profile.

OTTER

Holts

- Usually well concealed.
- Typically burrows, or spaces under banks, tree roots or dense cover.



Spraints

- Found on rocks, paths, channel junctions.
- Dark, oily, sweet smelling.




Suitable areas of cover

Dense bankside vegetation, particularly where there is direct covered access to the water.
Any isolated clumps of dense vegetation giving cover along an open length of channel.




Foot-prints



Otter

(Non-symmetrical toes)



Dog

(Symmetrical toes)



Fox



Badger



Mink

MUSSELS

STANDARD OPERATING PROCEDURE - ARTERIAL DRAINAGE MAINTENANCE

FRESH WATER PEARL MUSSELS

Before Maintenance Operations begin:

- Maintenance must not commence where a known population of Fresh Water Pearl Mussel exists (as listed in the Environmental Management Protocols).
- In the unlikely event of new population of Fresh Water Pearl Mussel being encountered during maintenance,
 - **All works must cease immediately.**
 - Contact area Foreman.
 - Record the location of Mussels on the time card.

Measures to minimise disturbance may include:

- Placing of straw bales to prevent movement of silt.
- Any exceptional / emergency works to be carried out in close consultation with the NPWS.
- For exceptional / emergency works e.g. fallen tree obstruction – these to be lifted clear of the channel to prevent disturbing the channel bed.

MUSSELS

Fresh Water Pearl Mussels (*Margaritifera margaritifera*)

- Shells very thick & heavy – shaped like a kidney.
- Shell colour is dark-brown – black, to blue & black.
- Adults range in length from approx. 6 cm – 12 cm (2.5 – 5 inches) and can live for over 100 years.
- Suitable rivers are reasonably fast flowing, with very clean, good quality water, gravel bed, preferably with large cobbles.



Not to be confused with Duck & Swan Mussel

- Egg-shaped shells 12 -16cm (5-6 inches) long.
- Thin shiny shells, usually brownish yellow with traces of green.
- Found in slow moving water.
- If encountered, contact area Foreman and return Mussels to channel.
- Record location of Mussels on time card



INVASIVE SPECIES STANDARD OPERATING PROCEDURE – ARTERIAL DRAINAGE MAINTENANCE

Measures to reduce the risk of spread of invasive species

All excavators, weed cutting boats, tractors, dumpers & other machinery employed on maintenance must be thoroughly cleaned down using a power washer unit prior to being;

- (a) transported by Low- Loader**
- (b) moving to another catchment within the Region**
- (c) moving to another Region.**

Notify your supervisor immediately if you see any of the invasive species listed.

*Full details of all species are available in the CFB's
Field guide to the Identification of Aquatic Invasive Species*



Giant Hogweed

Found on the banks of many rivers throughout Ireland.

Can grow to a height of 4 metres.

Seeds are carried by water and spread very quickly.

!!!Avoid contact with the sap of this plant as it can cause extensive lesions or blistering of the skin.



Japanese Knotweed

Grows up to 2-3m in height along roadsides and river corridors throughout the country.

Even a tiny piece of this plant can produce a new plant.

Leaves are heart-shaped with a pale stripe down the centre.

In Summer cream flowers arise from the top of the red-flecked stems.



Himalayan Balsam

Grows in dense strands up to 3m high, and is found widespread across Ireland along banks of rivers.

Seed pods explode scattering seeds.

Dies back in Autumn exposing bare banksides and erosion.

White or pink flowers, smooth hollow stem, oval shaped pointed leaves with jagged edges.



Curly waterweed – *Lagarosiphon major*

Found in lakes and slow flowing waterways up to 6m deep.

Spread by fragmentation from one watercourse to another on boat hulls, trailers, outboard motors or angling equipment.

Significant weed stands located in Lough Corrib.



Zebra Mussels

Distinctive stripy shell, very small (1-3cm).

Attach in clusters to hard surfaces – boats, pipes, buoys.

Refer to the [Zebra Mussel Standard Operating Procedure](#).

All photographs courtesy of Central Fisheries Board

Actions for Maintenance Operations**1) Zebra Mussels detected on site**

- Where Zebra Mussels are found, remark on the extent of Mussels on the Weekly Report Card and notify the Foreman/Technician.
- Technicians/Engineers to notify Environment Section of location and grid reference.
- Environment Section to update the National Database.

2) Maintenance close to R. Shannon or infested lakes

- Where a machine is working close to the R. Shannon or an infested lake, ensure that prior to the machine transferring to a new site, buckets and tracks are thoroughly cleaned of any material such as silt or vegetation.
- Ganger / Driver to visually inspect the bucket, tracks and any equipment that was in the water to ensure no Mussels are present.

3) Maintenance close to outlets/inlets of any lakes

- Where a machine is working close to any lake, ensure that prior to machine transferring to a new site, buckets are clean of any material such as silt or vegetation.
- Ganger / Driver to visually inspect the bucket and other equipment that was in the water to ensure no Mussels are present.

4) Boats and other equipment

- Boats or other water based equipment that is to be transferred between river catchments should be thoroughly cleaned on the outside, drained of any bilge water and inspected for the presence of Mussels.
- If it's suspected that the equipment was in contact with Zebra Mussel waters, steam clean the hull and trailer and leave the boat or equipment out of water for four weeks prior to moving.

OPW Role

Although it is a relatively low risk, OPW could spread Zebra Mussels if aquatic vegetation or excavated material containing Mussels is inadvertently transported to another non-infested channel. Adult Mussels can survive for up to four weeks out of water hence its critical not to transport the same. Larvae are tiny and barely visible but will not survive on a machine bucket if there is no silt, stones or vegetation to shelter it.

**Environmental Threat**

Zebra Mussels are thumbnail-sized black & orange striped shellfish. They grow into dense clusters and attach to any underwater hard surface. They are an invasive species that damage the natural ecology of the infested waters. They expand into catchments through been transported by man's activities e.g. transferring fishing boats. Once in a particular lake or river, if conditions are favourable, they will multiply and spread with the currents. It is envisaged that they will keep expanding their territory unless man makes a concerted effort to prevent transport of the Mussels into non-infested waters.

OPW Site Audit Form

Region: _____ **CDS:** _____
Channel (name & code): _____ **Section (chg – chg):** _____
Foreman: _____ **Driver(s):** _____
Auditor: _____ **Date:** _____
 Site surveyed from- working bank: ☐ non-working bank: ☐
GPS Reference: _____ **Photographs:** Yes ☐ No ☐
Weather Conditions: _____ **Water levels:** _____
Wetted/Base width: 0-3m ☐ 3-6m ☐ 6-10m ☐ 10-15m ☐ >15m ☐
Velocity Rating: Slow ☐ Moderate ☐ Fast ☐ Torrential ☐
Bed Type: _____ **Machine Number:** _____

OPW SOP AWARENESS / COMPLIANCE

Invasive Species SOP: Poor / Fair / Good / Excellent
 Protected Species SOP's: Poor / Fair / Good / Excellent
 Spill Kit Present: YES / NO

Environmental Drainage Maintenance Constraints

Maintenance Constraints		Working Bank	Non Working Bank
Ownership:	Woodland		
Ownership:	Tillage		
Ownership:	Position of Fencing		
Availability of suitable stone			
Placement of spoil			
Time of year:	Tree cutting		
Time of year:	Wildlife		
Time of year:	Fisheries		
Potential Habitat for Annex II Species	Lamprey		
	Crayfish		
	Otter		
	Pearl mussel		
	Salmon		

Comments on Audit Findings

Maintenance Strategies Achieved - (based on section recently maintained)							
Maintenance Options		Working Bank		Non-working Bank		Instream Channel	
		Suitability	Compliance*	Suitability	Compliance*	Suitability	Compliance*
1	Protect Bank Slopes						
	Non-working bank left intact						
	Protect working bank slope						
2	Restrict Maintenance to Channel						
	Restrict maintenance to open channel						
	Use of SOPs for lamprey and crayfish						
3	Spoil Management						
	Best practice placement of spoil						
	Spread spoil thinly						
	Let water drain from bucket over channel						
4	Selective Vegetation Removal						
	Manage instream vegetation (Attn SOPs)						
	Retain marginal vegetation both sides						
	Potential for weed cutting bucket						
	Outside coarse fish spawning (April 1 st to July 1 st)						
5	Leave Sections Intact						
	Sections skipped						
6	Management of Trees						
	Remove trees blocking flow						
	Observe tree cutting window						
	Remove low hanging branches to known flood level						
	Use chainsaw/secuturs for tree removal or thinning						
	Tree thinning management						
	Manage scrub - Otter & Birds SOP						
7	Manage Berms to form 2 Stage Channels						
	Retain berms (no maintenance)						
	Top berm to just over summer water flow						
	Re-sod berms where suitable						
	Only narrow berms if OVER-WIDE						
8	Replace Stone & Boulders						
	Replace stone and gravel coming out in digging bucket (No New Diggings)						
	Replace large stones/boulders into channel from old spoil						
9	Working in Gravel Bed Channels						
	Loosen/toss gravels (between July 1 st & Sept. 30 th)						
	No instream works outside of Fisheries Window (between July 1 st & Sept. 30 th)						
	Use of silt barriers in winter/spring						
10	Re-profile Channel Bed						
	Dig pool - riffle sequences						
	Reprofile cross-section						
	Use existing stone to create 'simple' instream structures						

*based on rating system: 0-10, with 0=no compliance and 10=full compliance

Total Compliance (%)

OVERALL COMPLIANCE (%)

Department of the Environment, Heritage and Local Government / An Roinn Comhshaoil, Oidhreacht agus Rialtais Áitiúil

National Parks & Wildlife Service (NPWS) / An tSeirbhís Páirceanna Náisiúnta agus Fiadhúlra, 7 Ely Place, Dublin 2.
Regional Information/Eolas Reigiúnach (01) 888 2000
Locall/Glaoch Áitiúil: 1890 20 20 21
Fax/Faics: (01) 888 3272
Internet/Idirlíon: www.npws.ie & www.envron.ie
E-mail/Ríomhphost: natureconservation@envron.ie

Eastern Division / Rannán an Oirthir

Divisional Manager: (01) 8883243
Divisional Ecologist: (01) 6678256

South Eastern Region/Réigiún an Oirdheiscirt

(Carlow, Kilkenny, Wexford & Wicklow (incl. Wicklow Mountains National Park))

Regional Office: (0404) 45800
Regional Manager: (0404) 45802
Deputy Regional Manager: (0404) 45801
Education Centre: (0404) 45656
Information Office (Wicklow Mtns Nt Park): (0404) 45425
District Conservation Officer:
(North Wexford & Wicklow) (0404) 45807
District Conservation Officer:
(Carlow, Kilkenny & Wexford) (056) 7722135

North Eastern Region/Réigiún an Oirthuaiscirt

(Dublin, Kildare, Laois, Louth, Meath & Offaly)

Regional Manager: (045) 520 622
Deputy Regional Manager: (045) 520 644
District Conservation Officer:
(Kildare, Laois & Offaly) (045) 521 713
District Conservation Officer:
(Dublin, Louth & Meath) (046) 909 3506

Western Division/Rannán an Iarthair

Divisional Manager: (091) 704 206
Divisional Ecologist: (091) 704 208

Western Region/Réigiún an Iarthair

(Mayo, Galway West)

Regional Manager: (095) 41054
Deputy Regional Manager: (098) 49996

District Conservation Officer: (Galway West) (095) 41054
District Conservation Officer: (Mayo) (098) 49996

Mid Western Region/Réigiún an Lár-Iarthair

(Clare, Galway (except Galway West above))

Regional Office: (091) 704200
Regional Manager: (091) 704 201
Deputy Regional Manager: (091) 870341
District Conservation Officer:(Clare) (065) 682 2711
District Conservation Officer:
Galway (except Galway West above) (091) 739654

Southern Division/Rannán an Deiscirt

Divisional Manager: (021) 4619901
Divisional Ecologist: (021) 4619903

Mid Southern Region/Réigiún an Lár-Deiscirt

(East Cork, Limerick, Tipperary NR, Tipperary SR & Waterford)

Regional Manager: (067) 44287
Deputy Regional Manager: (021) 4619904
District Conservation Officer:
(East Cork, Tipperary SR & Waterford) (021) 4619905
District Conservation Officer:
(Limerick & Tipperary NR) (067) 44135

South Western Region/Réigiún an Iardheiscirt

(West Cork & Kerry)

Regional Office: (064) 31440
Regional Manager: (064) 70145
Deputy Regional Manager: (064) 70143
District Conservation Officer:
(North Cork & Kerry) (064) 33567
District Conservation Officer:
(South & West Cork and South & West Kerry) ... (028) 37347

Northern Division/Rannán an Tuaiscirt

Divisional Manager: (071) 966 6020
Divisional Ecologist: (071) 966 6928

Northern Region/Réigiún an Tuaiscirt

(Donegal, Leitrim West & Sligo)

Regional Office: (074) 913 7090
Regional Manager: (074) 972 1837
Deputy Regional Manager: (074) 913 7090
District Conservation Officer:
(Donegal Nth & Glenveagh National Park) ... (074) 913 7440
District Conservation Officer:
(Donegal, Leitrim West & Sligo) (071) 966 6178

North Midlands Region/An Réigiún Lár Tíre Thuaidh

(Cavan, Leitrim East, Longford, Monaghan, Roscommon & Westmeath)

Regional Office: (071) 9666178
Regional Manager: (071) 966 6934
Deputy Regional Manager: (044) 934 2661
District Conservation Officer:
(Cavan, Leitrim, Longford & Monaghan) (049) 433 5750
District Conservation Officer:
(Roscommon & Westmeath) (044) 933 7007

National Parks & Nature Reserves/Páirceanna Náisiúnta

Ballycroy National Park County Mayo, Lagduff More, Ballycroy, Westport, Co. Mayo (098) 49996
Burren National Park, NEPS Building, St. Francis Street, Ennis, Co. Clare (065) 6822662
Connemara National Park, Letterfrack, Co. Galway (095) 41054
Coole Park Nature Reserve, Gort, Co. Galway (091) 631 804
Glenveagh National Park, Church Hill, Letterkenny, Co. Donegal (074) 9137090
Killarney National Park, Muckross House, Killarney, Co. Kerry (064) 31440
Wexford Wildfowl Reserve, North Slob, Wexford (053) 9123129
Wicklow Mountains National Park, Kilafin, Laragh, Co. Wicklow (0404) 45800

Inland Fisheries Ireland March 2011

IFI Region	Director	Address	Telephone	Region/Scheme
IFI Blackrock	William Walsh	15a Main Street Blackrock Co. Dublin	01 2787022	East: Glyde & Dee, Boyne, Blackwater, Bally-Teigue
IFI Ballina	John Connelly	Ardnaree House Abbey Street Ballina Co. Mayo	096 22788	West: Moy, Bonet
IFI Ballyshannon	Dr. Milton Matthews,	Station Road Ballyshannon Co. Donegal	071 9851435	West: Donegal schemes, Kilcoo, Duff
IFI Limerick	Sean Ryan	Ashbourne Business Park Dock Road Limerick	061 300238	East: Inny, Brosna West: Boyle, Ballyglass South: Killimor, Carrighahorig, Nenagh, Groody, Maugue, Deel, Feale
IFI Macroom	Dr. Patrick Buck	Sunnyside House, Macroom Co. Cork	026 41221	South: Maine, Owvane
IFI Clonmel	Suzanne Campion	Anglesea Street Clonmel Co. Tipperary	052 80055	East: Brickey
IFI Galway	Amanda Mooney	The Weir Lodge Earl's Island Galway	091 563118	West: Corrib Headford, Mask,
IFI	Dr. Ciaran Byrne	Unit 4 Swords Business Campus Balheary Rd Swords Co. Dublin	01 8842600	All
EREP Project Manager	Dr. Karen Delanty	Unit 4 Swords Business Campus Balheary Rd Swords Co. Dublin	01 8842624	All

(Note: Completed flood relief schemes are not listed but proposed works should be discussed with the relevant local IFI)

OPW Bridges (numbering 170) intersecting National Primary Roads.

Scheme	Channel ID	Bridge No.	National Route type	Bridge Name
Glyde and Dee	C2 (7C)	B80	N01	
Glyde and Dee	C2 (7E1)	B839	N01	
Glyde and Dee	C2 (7E1)	B840	N01	
Broadmeadow and Ward	C2/1	B230	N02	
Broadmeadow and Ward	C2/1	B239	N02	
Broadmeadow and Ward	C2	B204	N02	Coolatrath br.
Broadmeadow and Ward	C2/3	B243	N02	
Broadmeadow and Ward	C1/6/1	B86	N02	
Broadmeadow and Ward	C1/6/1/1	B96	N02	
Broadmeadow and Ward	C1/6	B68	N02	
Broadmeadow and Ward	C1	B16	N02	
Boyne	C1	B4	N02	Slane br.
Glyde and Dee	C2 (7H)	B101A	N02	
Glyde and Dee	C2 (17)	B179	N02	
Glyde and Dee	C2 (14B)	B118	N02	
Glyde and Dee	C2 (14)	B867	N02	
Glyde and Dee	C2 (1)	B30	N02	
Glyde and Dee	C2 (13)	B111	N02	
Glyde and Dee	C2 (16B4)		N02	
Glyde and Dee	C1 (1)	B15	N02	Aclint Br
Glyde and Dee	C29 (2)	B441	N02	
Glyde and Dee	C29 (3)	B443	N02	
Glyde and Dee	C25 (8)	B341	N02	
Glyde and Dee	C25 (7D1)	B672	N02	
Monaghan Blackwater	C1/1/5	B7	N02	
Monaghan Blackwater	C1/1/5/6/1	B1	N02	
Monaghan Blackwater	C1/3/5/2	B8	N02	
Monaghan Blackwater	C1/3/6/3	B1	N02	Hoaf Br
Boyne	C1/8/24	BX1	N03	
Boyne	C1/8/23	B733	N03	
Boyne	C1/8/21	B723	N03	
Boyne	C1/8/16	B644	N03	
Boyne	C1/8	B126	N03	Clavens Br
Boyne	C1/8/8	B294	N03	
Boyne	C1/12/1	B875	N03	Dillon's Br
Boyne	C1/12/7	B915	N03	
Owenmore	Behy Bridge	BX1	N04	
Boyle	C6/7/5	B2	N05	Ballanagare Br
Boyle	C6/7/1/4	B2	N05	
Boyle	C6/7/1	B3	N05	Cloonshanville Br
Boyle	C1/3/2/1	B4	N05	
Boyle	C1/9/1	B1	N05	
Boyle	C1	B4	N05	Old Lung Bridge
Boyle	C1/8	B1	N05	New Lung Bridge
Boyle	C1/45	B8	N05	
Moy	C1/31/2	B3	N05	
Moy	C1/31	B4	N05	
Moy	Not on a channel	B2	N05	Trimoge
Moy	Not on a channel	B2	N05	
Moy	Not on a channel	B1	N05	
Moy	C1/30/3/1	B1	N05	
Moy	C1/28/2	B3	N05	
Moy	C1/28/1	B4	N05	
Moy	C1/25	B6	N05	
Moy	C1/23/3	B2	N05	
Moy	C1/23	B9	N05	
Moy	Not on a channel	B1	N05	
Moy	C1/21/1/5/2/2	B3	N05	
Moy	C1/21/1/5/2/11	B2	N05	
Moy	C1/21/1/5/1/15	B1	N05	

Moy	C1/21/1/5/2/18	B1	N05	
Moy	C1/21/1/5/2/19	B2	N05	
Moy	C1/21/2/5/2/20/4	B1	N05	
Boyle	C1/44/15	B2976	N06	
Boyle	C1/44/17	B2984	N06	
Boyle	C1/64/1/11/6	B3337	N06	
Boyle	C1/64/1/11	B3303	N06	Miltownpass Br.
Boyle	C1/64/1/11/4	B3319	N06	
Boyle	C1/64/1/11/4/2	B3331	N06	
Boyle	C1/64/1/13/2	B3330	N06	
Boyle	C1/64/1/13	B3372	N06	Rochfort Br.
Boyle	C1/64/1/13/4	B3384	N06	
Brosna	C27 (1)	B150	N06	
Brosna	C1 (1)	B11	N06	Kilbeggan Br.
Brosna	C17 (1)	B143	N06	
Brosna	C17 (SE)	B726	N06	
Brosna	C17 (5)	B138	N06	New Br
Brosna	C17 (4)	B135	N06	
Corrib Clare	C1	B3	N06	Quincentennial Br.
Nenagh	C1/9	B23	N07	Ollatrim Br
Nenagh	C1/9/24	B4	N07	
Monaghan Blackwater	C1/1/6/1	B11	N12	Tyholland Br
Blanket Nook	C1/3	B23	N13	
Swilly embankments	E9	B1	N14	
Swilly embankments	C1/5	B9	N14	
Deele and Swillyburn	C1	B6	N14	
Deele and Swillyburn	C1/11	B19	N14	
Deele and Swillyburn	C2	B20	N14	
Abbey	C1/4	B39	N15	
Abbey	C1/4	B31	N15	
Abbey	C1/3A	B30B	N15	
Abbey	C1/2	B21 - B23	N15	
Abbey	C1/1	B18	N15	
Duff	C1	B1	N15	
Bonet	C1/12/3	B1	N16	
Bonet	C1/12	B5	N16	
Bonet	C1/12	B4	N16	
Bonet	C1/12	B2	N16	
Bonet	C1	B5	N16	
Bonet	C1/13/2	B1	N16	
Bonet	C1/13	B1	N16	
Moy	C1/50/2	B3	N17	
Moy	C1/50	B4	N17	
Moy	C1/48/3	B2	N17	
Moy	C1/48	B3	N17	
Moy	C1/45/4	B2	N17	
Moy	C1/45	B13	N17	
Moy	C1/30/5/9	B3	N17	
Moy	C1/30/5/9	B15	N17	
Corrib Mask	CM4/43/4	B2	N17	
Corrib Mask	CM4/34	B10	N17	
Corrib Mask	CM4/34/2	B2	N17	
Corrib Clare	C3/30	B8	N17	
Corrib Clare	C3/30/4	B1	N17	
Corrib Clare	C3/26	B2	N17	
Corrib Clare	C3/26/9	B1	N17	
Corrib Clare	C3/26/1	B3	N17	
Corrib Clare	C3/12/2	B1	N17	
Corrib Clare	C3	B14	N17	
Corrib Clare	C3	B2	N17	Claregalway bridge
Fergus	D7	B3	N18	
Owenagarney	C2	B1	N18	
Owenagarney	C4	B3	N18	
Coonagh Embankments	C10	B9	N18	

Coonagh Embankments	D13	B113	N18	
Coonagh Embankments		B1	N18	
Maigue	C1/36	B1	N20	Helena's br.
Maigue	C1/37/1	B3	N20	
Maigue	C1/37	B1	N20	
Maigue	C1	B23	N20	Creggane br.
Maigue	C1/33	B1	N20	Cappanafaha br.
Maigue	C1/30	B2	N20	Ballynabanoge br
Maigue	C1/26	B1	N20	
Maigue	C1/15	B10	N20	
Maigue	C1/10/5	B3	N20	
Maine	C1/28	BX1	N21	
Maine	C1/34	B117	N21	
Maine	C1/35	BX2	N21	
Deel SR	C12/2/2	B125	N21	
Deel SR	C12/2/2/2	B127	N21	
Deel SR	C12/2/1	B123	N21	
Deel SR	C10	B95	N21	Ballyfraleay br.
Deel SR	C8	B76	N21	Reens br.
Maigue	C1/17/10	B1	N21	
Maigue	C1/17/8	B2	N21	
Maigue	C1/17/5	B1	N21	
Maigue	C1	B1	N21	Adare br.
Maigue	C1/15	B5	N21	
Maine	C1	B3	N22	Maine br.
Maine	C1/32	B110	N23	Dysert br.
Maine	C1/33	B114	N23	Killfinnaun br.
Maine	C1	B9	N23	Herbert br.
Groody	C1/4	B29	N24	
Groody	C1	B4	N24	
Groody	C1/7	B53	N24	
Groody	C1/9	B56	N24	
Moy	C1/9/1	B1	N26	
Moy	C1/9	B2	N26	
Moy	F/282	B	N26	
Moy	C1/14	B1	N26	
Moy	RIVER	B3	N26	
Moy	C1/37	B1	N26	
Moy	C1/38	B1	N26	
Moy	RIVER	B2	N26	Cloongullaun br.
Moy	C1/39	B3	N26	
Moy	C1/39	B6	N26	
Moy	C1/39	B9	N26	
Moy	C1/39/3	B1	N26	

Otter Wildlife Passes and OPW Drainage Channels

- It has been brought to the attention of the OPW that there may be a need for small mammal passes on some of the maintained channels.
- The National roads constitute less than 6 percent of roads in this country, approx. 3 National Primary and 3 percent National Secondary. In spite of this they carry over 42 percent of the traffic. It is for this reason that the focus will be on the National Primary road crossings.
- The national road kill survey was analysed and the data from the web site "www.biology.ie" was cross-referenced against OPW channel locations and the results were inconclusive, as the web page is not widely used. It appears for now that OPW channel road crossings have no effect on the deaths of otters as per this information.

Next Steps:

- 1) Consult NPWS throughout all regions to review any evidence of otter road kills on National Primary roads or are they aware of any other such road deaths.

1. Where there appears to be mammal deaths on National Primary roads that intersect OPW channels it will be seriously considered to install in the bridge (where possible) a small mammal pass to allow ease of access for otters.

Otter Habitat Disruption

- Otters, along with their breeding and resting places, are protected under the provisions of the Wildlife Act, 1976, as amended by the Wildlife (Amendment) Act, 2000. They are also included in Annex I and Annex IV of the Habitats Directive, which is transposed into Irish Law in the European Communities (Natural Habitats) Regulations (S.I. 94 of 1997), as amended.

Otter Pass Details

- Mammal Ledges and underpasses should be constructed parallel to the watercourse.
- Underpasses should be of a diameter of 600mm up to a length of 20m. Where lengths exceed this the pipe should be increased to 900mm diameter
- An underpass should be no more than 50m of the watercourse with channels or fencing guiding the animals to it.

Where there is sufficient space under the bridge for a ledge the following should be provided:

- Fencing: See "figure 1; Specification for Mammal Resistant Fencing" in the NRA, National Roads Authority, Guidelines for the Treatment of Otters Prior to the Construction of National Road Schemes, for more detail. Also, Design Manual for Roads and Bridges, DMRB Volume 10, Section 1, Part 5, Chapter 9.
- A bolt on ledge can be used under a bridge where there is no dry passage. The bolt on ledge should provide otters with a dry walkway of between 300mm and 450mm wide, constructed from 4.5mm Durbar patterned galvanised plate.
- At some sites, considerations of responsibility, cost, aesthetics or practicality might indicate the use of a solid ledge; this is most likely where an existing otter-ledge has proved to be sited too low to offer dry passage at spate conditions. A solid ledge can be created in 3 ways; concrete bagging, shuttering plus new concrete and concrete blocks.
- See (OPW, 2007), (DMRB, 2001) and (NRA 2006) for further Details



References

- NRA (2006) – National Roads Authority, Guidelines for the Treatment of Otters Prior to the Construction of National Road Schemes.
- NRA (2005) – National Roads Authority, Guidelines for the Crossing of Watercourses During the Construction Of National Road Schemes.
- OPW (2007) – Series of Ecological Assessments on Arterial Drainage Maintenance No. 4, Ecological Impact Assessment (EclA) of the Effects of Statutory Arterial Drainage Maintenance Activities on the Otter (*Lutra lutra*).
- OPW (2006) – Screening of Natura 2000 Sites for Impacts of Arterial Drainage Maintenance Operations. Environment Section, Engineering Services, Office of Public Works.
- DMRB (2001) - Design manual for roads and bridges (DMRB). Volume 10, Section 4 Environmental Design and Management Nature Conservation. Part 4 HA 81/99 Nature conservation advice in relation to otters. Section 1, Part 9 HA 81/99.